

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5748084".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 17:10
S2	2	S1 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 17:11
S4	8131	modem with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 12:01
S5	35863	modem with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 14:56
S6	3058	modem with (deactivat\$3 or off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 15:00
S7	2086	(modem with data) and (modem with (deactivat\$3 or off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 14:59
S8	507643	power adj supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 15:00
S9	53061	(power adj supply) with (deactivat\$3 or off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 15:00
S10	6	(modem with data) with reciev\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 15:02

S11	0	(modem with (deactivat\$3 or off)) with reciev\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 15:02
S12	641	(modem with (deactivat\$3 or off)) with receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 15:03
S13	12662	(modem with data) with receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 15:02
S14	252	((modem with (deactivat\$3 or off)) with receiv\$4) with (modem with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/28 15:03
S15	3151	modem near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 12:02
S16	250375	inactiv\$4 or deactiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 14:18
S17	603	modem adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 12:50
S18	145	(modem adj processor) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 13:33
S19	3178	(inactiv\$4 or deactiv\$4) with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 14:19
S20	26	((inactiv\$4 or deactiv\$4) with processor) with modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 14:19
S21	1	"5727020".URPN.	USPAT	OR	ON	2003/01/29 14:25

S22	18	("4418320" "4630314" "4646329" "4665519" "4682344" "4893347" "4951309" "4987571" "5020093" "5138328" "5230094" "5231647" "5313211" "5317707" "5347304" "5428790" "5444737" "5555287").PN.	USPAT	OR	ON	2003/01/29 14:25
S23	2	"5169531".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 14:48
S24	111	(Research In Motion Limited). asnm. and (Waterloo).ascii.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 09:27
S25	207564	power with consumption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 15:56
S26	13664	power with management	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 15:55
S27	10694	modem.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 15:57
S28	267	(power with consumption) and modem.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 15:57
S29	62	(power with management) and modem.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 16:04
S30	11644	modem same (memory with (communication or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 16:10

S31	3596	(modem same (memory with (communication or data))) same processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 16:11
S32	2100	modem same (memory with (communication and data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 16:11
S33	462	modem same processor same (memory with (communication and data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 16:12
S34	35	(modem same processor same (memory with (communication and data))) and ((power with consumption) or (power with management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 16:15
S35	46	(processor with off) and (processor with on)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 16:16
S36	1059	(processor with deactivat\$3) and (processor with activat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 16:16
S37	149	((((processor with off) and (processor with on)) or ((processor with deactivat\$3) and (processor with activat\$3))) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/29 16:17
S38	18	(Research In Motion Limited). asnm. and (Waterloo).asci. and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 09:27
S39	2049	(Research In Motion Limited). asnm. and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 10:04
S40	22	(Research adj In adj Motion adj Limited).asnm. and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 09:29

S41	466	((non\$1volatile or flash) adj memory) with modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 15:25
S42	81	((non\$1volatile or flash) adj memory) with modem) same processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 15:26
S43	792	((non\$1volatile or flash) adj memory) with modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 15:26
S44	156	((non\$1volatile or flash) adj memory) with modem) same processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 15:35
S45	38531	(inactive or nonactive or unpower\$4 or off) with (processor or microprocessor or cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 15:46
S46	377	((non\$1volatile or flash) adj memory) with modem) same (processor or microprocessor or cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 15:35
S47	53	((inactive or nonactive or unpower\$4 or off) with (processor or microprocessor or cpu)) and (((non\$1volatile or flash) adj memory) with modem) same (processor or microprocessor or cpu))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 15:47
S48	41064	(inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) with (processor or microprocessor or cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 15:47
S49	53	((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) with (processor or microprocessor or cpu)) and (((non\$1volatile or flash) adj memory) with modem) same (processor or microprocessor or cpu))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 17:34

S50	41064	((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) with (processor or microprocessor or cpu))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 17:35
S51	26529	((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) near7 (processor or microprocessor or cpu))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 17:35
S52	47659	modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 17:45
S53	2190	((((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) near7 (processor or microprocessor or cpu))) and (modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 17:45
S54	8301	(modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)) with (processor or microprocessor or cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 17:46
S55	991	((((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) near7 (processor or microprocessor or cpu))) and ((modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)) with (processor or microprocessor or cpu)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 17:52
S56	30618	modem.ti. or modem.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/30 17:52
S57	221	(((((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) near7 (processor or microprocessor or cpu))) and ((modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)) with (processor or microprocessor or cpu))) and (modem.ti. or modem.ab.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/31 09:05

S58	114	(((((sleep) near7 (processor or microprocessor or cpu))) and ((modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)) with (processor or microprocessor or cpu))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/31 09:11
S59	14	("4058838" "4519068" "4569421" "4628193" "4680787" "4761822" "4806906" "4850009" "4916441" "4969206" "5008879" "5033109" "5055660" "5117501").PN.	USPAT	OR	ON	2003/01/31 13:46
S60	6	"5680633".URPN.	USPAT	OR	ON	2003/01/31 13:47
S61	18	("4418320" "4630314" "4646329" "4665519" "4682344" "4893347" "4951309" "4987571" "5020093" "5138328" "5230094" "5231647" "5313211" "5317707" "5347304" "5428790" "5444737" "5555287").PN.	USPAT	OR	ON	2003/01/31 13:52
S62	1	"5727020".URPN.	USPAT	OR	ON	2003/01/31 13:52
S63	14	((("4418320" "4630314" "4646329" "4665519" "4682344" "4893347" "4951309" "4987571" "5020093" "5138328" "5230094" "5231647" "5313211" "5317707" "5347304" "5428790" "5444737" "5555287").PN.) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/01/31 13:53
S64	4	("4521891" "5631952" "5903601" "5931950").PN.	USPAT	OR	ON	2003/01/31 13:55
S65	0	"6301297".URPN.	USPAT	OR	ON	2003/02/05 15:22
S66	1	"6167078".URPN.	USPAT	OR	ON	2003/01/31 14:02
S67	3	("4521891" "5903601" "5931950").PN.	USPAT	OR	ON	2003/01/31 14:04
S68	2	"6055591".URPN.	USPAT	OR	ON	2003/01/31 14:05
S69	7	("5161184" "5167024" "5606560" "5724413" "5822692" "5903765" "5909488").PN.	USPAT	OR	ON	2003/01/31 14:07
S70	1	"6418533".PN.	USPAT	OR	ON	2003/02/05 15:22

S71	18	("4614945" "4794368" "4897662" "4959860" "5046082" "5142691" "5388156" "5418537" "5574786" "5635940" "5712973" "5748084" "5757271" "5757916" "5963142" "5970227" "5987609" "6087937").PN.	USPAT	OR	ON	2003/02/05 15:35
S72	7	((("4614945" "4794368" "4897662" "4959860" "5046082" "5142691" "5388156" "5418537" "5574786" "5635940" "5712973" "5748084" "5757271" "5757916" "5963142" "5970227" "5987609" "6087937").PN.) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/07 15:38
S73	8764	(computer or processor or cpu) with (inactive or sleep or suspended)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/05 16:57
S74	1465	modem same ((non\$1volatile or pesistent) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/05 16:55
S75	2	modem same ((non\$1volitile or pesistent)near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/05 16:55
S76	44	((computer or processor or cpu) with (inactive or sleep or suspended)) and (modem same ((non\$1volatile or pesistent) near3 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/05 16:57
S77	10208	(computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/05 16:57
S78	52	((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem same ((non\$1volatile or pesistent) near3 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:50

S79	1708	((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:52
S80	811	713/323	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:50
S81	685	713/324	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:50
S82	788	713/320	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:50
S83	1384	713/300	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:52
S84	374	((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem with (stor\$3 or sav\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:58
S85	2320	713/323 713/324 713/320 713/300	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:54
S86	648	(713/323 713/324 713/320 713/300) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:57
S87	291	(713/323 713/324 713/320 713/300) and (modem same memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:57
S88	239	(713/323 713/324 713/320 713/300) and ((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/06 14:59

S89	30	((("4614945" "4794368" "4897662" "4959860" "5046082" "5142691" "5388156" "5418537" "5574786" "5635940" "5712973" "5748084" "5757271" "5757916" "5963142" "5970227" "5987609" "6087937").PN.) and (stor\$3 or sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/07 15:39
S90	19	("4494114" "4742357" "4818998" "4908608" "4908629" "4954836" "4985695" "5021794" "5157405" "5293115" "5317304" "5327144" "5365516" "5406261" "5418537" "5485163" "5497149" "5508708" "5578991").PN.	USPAT	OR	ON	2003/09/29 15:54
S98	2	"6684324".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 09:59
S99	20	("6434644" "6459896" "6498999" "6427165" "5903849" "6370591" "6292858" "5884103" "6044452" "6622031").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 10:00
S10 0	6	S99 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 10:00
S10 1	303535	power with consumption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:27
S10 2	27846	power with management	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:27
S10 3	4872	(inactiv\$4 or deactiv\$4) with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:27

S10 4	33	((inactiv\$4 or deactiv\$4) with processor) with modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:27
S10 5	1520	(power\$5 with processor) with modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:47
S10 6	977	(power\$5 near5 processor) with modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:34
S10 7	4638	710/62,15-19,8,11,14,5,6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:32
S10 8	6	S107 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:33
S10 9	15	S107 and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:33
S11 0	11341	power\$5 with modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:47
S11 1	116	S107 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:34
S11 2	917	S110.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:48
S11 3	2399	power\$5 with (CPU or micro\$1processor or ".mu. processor" or processor) with modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:48

S11 4	148	S113.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:48
----------	-----	-----------	---	----	----	------------------